

A complete all round UC meeting room set up in just one panel, one purchase

Clevertouch Edge gives you complete access to all your favourite apps directly from the screen. With Clevertouch Edge you only need to buy one panel to create a complete all round UC meeting room setup.

Sleek all-in-one design

The all-in-one design seamlessly integrates an intelligent Sony camera system, advanced audio, interactive whiteboarding, and an intuitive launcher into a single, comprehensive collaboration display. This powerful combination enhances the meetings and provides flexible, creative interactions.



A total transformation for collaboration in the workplace.





SONY

In-built Sony top-mounted camera

48MP Pixel and 90° FOV with 5M distance focus, ePTZ and face detection auto tracking.

Quick Launch Digital Buttons

Essential commands and software at your fingertips.

Google EDLA Certified

Access Google Play, Google Workplace and Microsoft 36, directly from the screen.

Crystal Clear Audio Experience

Front-mounted 2x 20W speakers and 2x 10W subwoofers



Advanced Security Protection

Highly secure with the option to lock down settings and functionality.

In-built Award-Winning Digital Signage

CleverLive software is included with no subscription fees

Any Screen, Any Time

Login to any connected Clevertouch with your personal profile with Integrated NFC.

FlatFrog In-Glass™ Technology

The most accurate writing experience





Experience exceptional virtual collaboration camera quality, with AI capabilities to always keep the speaker at the centre of the screen.

Adapts to mainstream cloud meeting apps and supports audio and video, 4K data sharing, and dual-stream meetings.



- Camera Pixel 48 MP
- Camera FOV 90°
- 5M Camera Focus Distance
- Auto tracking via face detection
- ePTZ (electronic pan, tilt, and zoom)
- Adapts to common cloud meeting apps
- HD Hardware Encoding and Decoding
- Supports 4k Video
- Voice Tracking





Support your hybrid meeting with your chosen platform

Platform Agnostic

With Clevertouch Edge, you aren't confined to just one UC platform. You can switch between platforms depending on the requirements of meeting participants.













Interactivity in the meeting room

Enhance collaboration. Foster ideas. Increase engagement.

Collaboration for meetings



Whiteboard with our own LYNX Whiteboard or use third party apps like Miro or Microsoft Whiteboard



Access your files from Google Drive, OneDrive, or Dropbox



Utilise images, videos, webpages, pdfs and more from leading media sources



A natural feel to writing with our new pen



Dual-screen mode for simultaneous use between two users



Annotate in real-time over any document



Flexible designs & templates

Users can engage dynamically with a large targeted audience to display messages that incorporate media formats including text, photos/images, videos, web pages, RSS feeds, and social media.

Live news feeds

Provide easy access to company news and industry relevant information for your employees to keep them on top of developments in fast-moving work environments. Set up custom news for each display and communicate more effectively.

Unlock the power of digital signage

Clevertouch EDGE is equipped with built-in digital signage at no extra cost. When the screen is not being used in meetings, you have the ability to switch to a communication channel that shares information in real-time.





Content triggering systems

Our systems allow you to set up bulletin alerts and emergency messages for instant communication across your company. Whether you need to update everyone on the latest health and safety guidelines or quickly communicate internal changes, our content triggering systems are there to help.

Flexibility is key in meetings

In-person, remote or hybrid - Clevershare gives you the freedom to host your meeting, your way. 62% of Enterprise users have more than 3 Unified Communication platforms. You need to be able to enter the meeting room and have the tools available to simply start a meeting on any of those UC platforms, whilst connecting to the display, audio and visual equipment in the room.

One-tap to connect

With the App or CleverCast, it's just one-tap to connect. No wires, no drivers, no passwords. Colleagues and visitors alike will share the same easy-to-use experience.

Two methods, same experience





Clevershare app

Download it for free to any device. Enter the code from your UX Pro and instantly share content from your device to the large format display.

CleverCast

Plug the USB-C dongle into your laptop and click the button to share your screen with the UX EDGE Pro display.








Picture in Picture (PiP)

Picture in Picture (PiP) allows you to connect a separate source, such as a laptop, and view that device's screen as a window within your Clevertouch EDGE display, whilst simultaneously viewing multiple windows on the screen.

evia such.com info@clevertouch.com





Individual Pods

Laborated specific female

- 43" commercial display
- Screen sharing technology
- Camera / microphone
- Room booking panel

Huddle Room

- 65" interactive display
- Screen sharing technology
- Camera / microphone
- Room booking panel

eversus th.com | info@clevertouch.com



Meeting Room

- 75" commercial display
- Screen sharing technology
- Camera / microphone
- · Room booking panel

Boardroom

- 86" interactive display x2 (dual screen)
- Video bar
- Meeting touch pad
- Room booking panel

Sales Team

- 65" interactive display
- Screen sharing technology
- Digital signage option when not in use
- 55" commercial display showing at-a-glance meetings





Scan the QR code above to access the virtual Tour

Facilities/IT

• Online access to account to control and update all devices

Coffee Shop

- 55" menu boards
- QR code technology

Clevertouch Edge Specifications

Display

| Diagonal Size | 65" 4K, 75" 4K, 86" 4K |
|----------------------------|---|
| Screen Type | LCD - Direct LED Backlight |
| Aspect Ratio | 16:9 |
| Display Colours | 1.07 Billion (10 bit) |
| Resolution | 4K UHD (3840x2160 @60Hz) |
| Response Time | 3ms |
| Refresh Rate | 60Hz |
| LCD Viewing Angle | 178° |
| Brightness | 500 cd/m2 |
| Contrast Ratio | 4000:1 |
| Dynamic Contrast Ratio | 6000:1 |
| Glass Hardness | AG Tempered Glass - Mohs Level 7 |
| Glass Thickness | 3mm |
| Glass Type | Low Parallax 1mm Air Gap - Heat tempered - Anti Glare & Anti Smudge for durability - Super Glide Surface*** |
| Antibacterial Glass | Yes |
| Antibacterial Power Button | Yes |
| Main Board | RK3588 |
| Life of Screen | 50,000 Hours |
| | 700/ |
| NTSC | 72% |

Interactivity

| Writing Technology | Flat Frog InGlass IR Technology - M5 |
|-----------------------------|--|
| NEW Continuous Touch Points | 40 |
| Touch Resolution | 32768x32768px |
| Response Time | ≤5ms |
| Touch Accuracy | <1mm |
| Minimum Object Size | 2mm |
| Touch Tool | Finger, passive pen, opaque objects, paint brushes |
| Simultaneous Writing | Yes |
| Ink In Tools | Yes - LYNX |
| Pens Included | 2 |
| NEW Pen Type | Dual Recognition Stylus Infinity Stylus |
| Pen Holder | Integrated magnetic pen holders |
| Pen Tip Diameter | 2.8mm/6.3mm |
| Pen & Touch Differentiation | Yes |
| Pen Identities | 2 |
| Palm Rejection | Yes |
| Annotation Over Any Source | Yes |
| Compatibility | Windows, Linux, Mac, Android, Chrome |
| Tracking Rate | ≥1m/s |
| Scan Rate | ≥100hz |
| Gestures & Edge Swipes | Windows Supported, OSX with additional Driver |

Connectivity

| OPS Slot | 1 - Intel Spec 80Pin |
|---|--|
| HDMI In | 3 |
| HDMI Out | 1 |
| USB-A 2.0 | 3 |
| USB Touch (type B) | 3 |
| NEW USB A 3.0 (faster data transfer) | 2 x USB Front Type A 3.0 with faster data transfer 2 x USB Side Type A 3.0 with faster data transfer |
| NEW USB C (Video, Audio & Touch) | 1 x USB Side Type C with video, audio, touch & network 1 x USB Front Type C with video, audio, touch, network, and 100W charging |
| NEW USB C Out | 1 x USB Type C Out with video, audio, touch and network |
| LAN In (RJ45) | 1 |
| LAN Out (RJ45) | 1 |
| RS-232 | 1 |
| Wake-on-Lan | Yes |
| Wireless Adapter 2.0 + WAP | Yes |
| Clevertouch WiFi Module | Yes |
| Bluetooth | Yes - 5.2 |
| Displayport In | 1 |
| Audio In | 1 |
| Optical Out | 1 |
| Headphone | 1 (3.5mm) |
| | |

| 3 |
|---|
| Yes - Integrated |
| Yes |
| 8 Array Microphone |
| 180° |
| 8m |
| 32kHz |
| IEEE 802.11a/b/g/n/ac/ax with 2 × 2 MIMO (hotspot only) (both 2.4 and 5 GHz bands) |
| 6E |
| Capable of speeds up to 1Gbps |
| |

Clevertouch Edge Specifications

Camera

| Camera | 4K Sony integrated camera |
|---|----------------------------------|
| Camera Pixel | 48 MP |
| Camera FOV | 90° |
| Camera Focus Distance | 5M |
| Camera Tracking | Auto tracking via face detection |
| ePTZ | Yes |
| Adapts to mainstream cloud meeting apps | Yes |
| Supports 4k Video | Yes |
| Voice Tracking | Coming soon |
| | |

Audio

| NEW Dual Front Facing, Bass Enhanced Speakers | 2 x 20W Speaker + 2 x 10W Subwoofer |
|--|--|
| Audio Out | Yes |
| SPDIF / Fibre | Yes |
| Sound Channel | 2.2 |
| Line Array Microphone (noise cancelling) | 8 Array Microphone |
| Super Wide Sound | Yes |

Power

| Power Requirements | 100-240V ~ 50/60Hz |
|-----------------------------|----------------------------|
| Power Consumption (Normal) | 65" 100W 75" 135W 86" 162W |
| Power Consumption (Standby) | ≤0.5W |
| Ultra Quiet Fanless Design | Yes |

Computing

| NEW Operating System | Android 13 |
|--|----------------------------------|
| NEW System Version | LUX 13 |
| Access to Google Play Store Apps | Yes (Certified) |
| Access to Microsoft Apps | Yes (Certified) |
| Access to Google Cloud Services | Yes (Certified) |
| Access to Video Conferencing Apps (MS Teams, Google Meet, Zoom etc) | Yes (Certified) |
| NEW RAM | 8GB |
| NEW Internal Storage | 128GB |
| CPU | Quad Core A76 + Quad Core A55 |
| GPU | Mali G610 MC4 |
| Android Resolution | 4K |
| Integrated LUX UI | Yes |
| NEW System Architecture | 64-bit |

Operating & Storage Environment

| Operating Temperature | 0° to 40° |
|-----------------------|-------------------|
| Storage Temperature | -20° to 60° |
| Operating Humidity | 10% to 90% RH |
| Storage Humidity | 10% to 90% RH |
| Altitude | Below 5000 metres |

Clevertouch Edge Built-In Features

| вуом | Yes |
|---|--|
| Handwriting Recognition | Yes - LYNX Pro |
| Unlimited Multi-Floating Resizable Windows | Yes |
| Split Screen Support | Yes |
| Ecosystem of Extensive Apps with Secure and Fast Download | Yes |
| OpenSDK Support | Yes |
| Intelligent O&M | Yes |
| CleverLive™ Embedded Digital Signage | Yes |
| Clevershare™ Mirroring Any Device To The Board | Free for the life of the screen (touch back) |
| Miracast (WiFi Direct) | Yes |
| AirPlay | Yes |
| Chromecast | Yes |
| Integrated Personalised Accounts Profiles | Yes |
| Cloud Account Access | OneDrive, Google Drive, Dropbox |
| CleverLive Rooms™ Embedded Room Booking | Yes |
| Customizable Welcome Page with option to integrate logo, clocks apps and more (CleverLauncher™) | Yes |
| NEW LynxShare™ | Yes |
| NEW LynxCloud™ | Yes |
| Whiteboard Annotation | Yes |
| Email Out Direct From Touchscreen | Yes |
| Scan QR Code For Saving Work | Yes |
| Alerts and Announcements | Yes |
| Over-the-Air Updates | Yes |
| Remote Management Of Touchscreens (MDM) | Yes - One year license |
| Codec | Yes |
| H.264 + H.265 | Yes |
| HD Hardware Encoding and Decoding | Yes |
| | |

Clevertouch Edge Specifications

Physical Spec

| Panel Dimensions L x H x D | 65 " 1510 x 937 x 83mm 75 " 1731 x 1061 x 85mm 86 " 1979 x 1202 x 85mm |
|-------------------------------------|---|
| Packed Dimensions L x W x D | 65 " 1654 x 208 x 1026mm 75 " 1890 x 225 x 1186mm 86 " 2138 x 225 x 1328mm |
| Thickness of machine and wall mount | 65 " 113mm (WIB9060H) 75 " 115mm (WIB9060H) 86 " 115mm (WIB9060H) |
| Net Weight | 65 " 40.6kg 75 " 54.70kg 86 " 68.85kg |
| Gross Weight | 65 " 49.5kg 75 " 67.00kg 86 " 85.30kg |
| VESA Mount Point | 65 " 600 x 400mm 75 " 800 x 400mm 86 " 800 x 600mm |

Inside your Clevertouch Box

| What's In The Box | (1) Clevertouch Edge |
|-------------------|---------------------------------|
| | (1) 3M HDMI Cable |
| | (1) 3M Length USB cable (A-B) |
| | (1) 1.5M USB C Cable |
| | (1) 3M Regional Power Cable |
| | (1) Remote Control |
| | (2) Batteries for Remote Contro |
| | (2) Dual Recognition Stylus |
| | (1) User Guide |
| | (1) Quick Install Guide |
| | (1) Clevertouch WiFi Module |
| | (1) NFC card |
| | (1) CleverCast |
| | (1) Camera Lens Cover |

Support & Installation

For all Clevertouch product support, visit: support.clevertouch. com The installation of this product should be completed by a qualified installer. Use of components not supplied by Clevertouch or not meeting minimum specifications may impact performance, safety and warranty. For more information, visit: clevertouch.com

Warranty

Warranty term and upgrade options vary by region. Contact your local reseller or distributor for information and visit clevertouch. com/about/warranty

Compliance & Certification

Regulatory Certification CE, FCC, UL, Energy Star & EEC











17

Statement

Size and weight vary by configuration and manufacturing process, please refer to the actual product. The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product. The description, illustrations, etc. in this document may subject to change in accordance with the latest product specification and performance. Should the above-mentioned change in the document become necessary, the document may be updated without written notice.