Menu for instant teaching tools Your most commonly used apps are available with one touch and are easily accessible via the Quick Launch Menu.



IMPACT Max 2

Maximum security. Maximum potential. Maximum results.

Delivering a truly intuitive and collaborative experience, IMPACT Max 2 is an interactive screen with unlimited possibilities. Combines high-quality design, functionality, durability, native screen sharing and 4K resolution.



Available in a range of sizes 65" | 75" | 86"

Software included at no extra cost











Choose from hundreds of apps at no extra cost. Cleverstore has apps in multiple languages and for all age groups and subjects. No adverts, no in-app purchases, no hassle.





LYNX Whiteboard is a free-to-use lesson building app, enabling student collaboration. The most dynamic, intuitive user experience of any whiteboard





Any device can download the CleverShare app and connect instantly by typing in the code on the Clevertouch screen.

CleverShare App is free to download and compatible with Android, Windows, iOS, and Chrome devices.

CLEVER® LIVE



CleverLive is a feature rich digital signage platform enabling you to integrate and control communications across all your Clevertouch devices from a single dashboard. Create, manage and broadcast to one or multiple displays, in any number of locations across the globe simultaneously.

Key Features



Designed for blended learning



LYNX Whiteboard lesson creation app



Cleverstore free app store



CleverShare screen mirroring



Remote management MDM



Customise your home screen



Full digital signage capabilities



Compatible with Google Classroom and Microsoft 365



Connect your Cloud accounts to work from anywhere



Built-in array microphone all lessons can be recorded with sound



Latest generation USB-C with charging and hardware optimization



2x 20W speakers for room-filling sound + 16W Subwoofer



IMPACT Max 2 is an Award-Winning Clevertouch Interactive Display.

IMPACT Max 2 Specifications

Display

| Diagonal Size | 65" 4K, 75" 4K, 86" 4K |
|-----------------------------------|--|
| NEW Screen Type | VA - Direct LED Backlight |
| Aspect Ratio | 16:9 |
| Display Colours | 1.07 Billion (10 bit) |
| Resolution | 4K UHD (3840 x 2160 @60Hz) |
| Response Time | 5ms |
| Refresh Rate | 60Hz |
| LCD Viewing Angle | 178° |
| Brightness | 450 cd/m2 |
| Contrast Ratio | 65", 75", 86" – 5000:1 |
| Dynamic Contrast Ratio | 65", 75", 86" – 10000:1 |
| DC Dimming (for Flicker Free) | Yes |
| Glass Hardness | Tempered Glass - Mohs Level 7 |
| Glass Thickness | 3mm |
| Glass Type | - Low Parallax Omm Air Gap - Heat tempered - Anti Glare & Anti smudge for durability - Super Glide Surface |
| NEW Antibacterial Power Button | Yes |
| Main Board | RK3583 |
| Life of Screen | 50,000 Hours |
| NTSC | 65", 75", 86" – 72% |
| | |

Interactivity

| Writing Technology | High Precision IR Technology |
|------------------------------------|---|
| NEW Continuous Touch Points | 40 |
| Touch Resolution | 32768x32768px |
| NEW Response Time | ≤2.5ms |
| Touch Accuracy | ±1mm |
| NEW Minimum Object Size | 2mm |
| Touch Tool | Finger, passive pen, opaque objects |
| Simultaneous Writing | Yes |
| Ink In Tools | Yes - Lynx |
| Pens Included | 2 |
| NEW Pen Type | Dual Recognition Super Cool Stylus |
| Pen Holder | Integrated magnetic pen holders |
| Pen Tip Diameter | 3mm/7mm |
| Pen & Touch Differentiation | Yes |
| Pen Identities | 2 |
| Palm Rejection | Yes |
| Annotation Over Any Source | Yes |
| Classroom Essential Apps | Includes Whiteboard, Annotate, Timer, Media Players, Browser, PDF Reader, Screen Record, Spinner, Voting, Maths Tools |
| Compatibility | Windows 11, Linux, Mac, Android, Chrome |
| Tracking Rate | ≥1m/s |
| NEW Scan Rate | 400Hz |
| Gestures & Edge Swipes | Windows Supported, OSX With additional Driver |

Connectivity

| OPS Slot | 1 - Intel Spec 80Pin |
|-------------------------------------|---|
| HDMI In | 3 (2.0) |
| HDMI Out | 1 |
| USB-A 2.0 | 1 |
| USB Touch (type B) | 2 |
| USB A 3.0 (Faster Data Transfer) | 4 |
| NEW USB C (Video, Audio & Touch) | 2 (Front supports 100W charging) |
| USB C Out | 1 |
| LAN In (RJ45) | 1 |
| LAN Out (RJ45) | 1 |
| RS-232 | 1 |
| Wake-on-Lan | Yes |
| Wireless Adapter 2.0 + WAP | Yes |
| Clevertouch WiFi Module | Yes |
| Bluetooth | Yes 5.0 |
| NEW Displayport In | 1 |
| Audio In | 1 |
| Optical Out | 1 |
| Headphone | 1 (3.5mm) |
| Total touch out ports | 2 |
| Camera | Optional Extra |
| Array Mic | 6 |
| WiFi | 802.11ac, 802.11n, 802.11g, 802.11b, 802.11a, 802.11ax |
| WiFi Speed | Capable of speeds up to 433Mbps |

Computing

| NEW Operating System | Android 13 |
|--------------------------|-------------|
| NEW System Version | LUX 13 |
| RAM | 8GB |
| Internal Storage | 64GB |
| CPU | A76*2+A55*4 |
| GPU | G610MC2 |
| Android Resolution | 4K |
| NEW System Architecture | 64-bit |
| Integrated LUX UI | Yes |
| Google EDLA Via LUX Mini | Optional |

Audio

| Dual Front Facing, Bass Enhanced Speakers | 2 x 20W |
|--|---------|
| Subwoofer | 20W |
| Combined Sound | 60W |
| Audio Out | Yes |
| SPDIF / Fibre | Yes |
| Sound Channel | 2.1 |
| NEW Super Wide Sound | Yes |

IMPACT Max 2 Specifications

Power

| Power Requirements | 65" 100-240V~ 50/60Hz 4.0A |
|--------------------------------|----------------------------|
| | 75" 100-240V~ 50/60Hz 5.0A |
| | 86" 100-240V~ 50/60Hz 6.0A |
| Power Consumption (Normal) | 65" 175W |
| | 75" 220W |
| | 86" 280W |
| Power Consumption (Standby) | ≤0.5W |
| Ultra Quiet Fanless Design | Yes |

Operating & Storage Environment

| Operating Temperature | 0° to 40° |
|-----------------------|-------------------|
| Storage Temperature | -20° to 60° |
| Operating Humidity | 10% to 90% RH |
| Storage Humidity | 10% to 90% RH |
| Altitude | Below 5000 metres |

Physical Spec

| Panel Dimensions | 65" 1489x87x906mm |
|-------------------|---------------------|
| | 75" 1709x87x1029mm |
| | 86" 1957x100x1169mm |
| Packed Dimensions | 65" 1628×185×1005mm |
| | 75" 1863×225×1155mm |
| | 86" 2110×225×1304mm |
| Net Weight | 65" 36.65kg |
| | 75" 50.15kg |
| | 86" 60.60kg |
| Packed Weight | 65" 46.35kg |
| | 75" 61.70kg |
| | 86" 73.75kg |
| VESA Mount Point | 65" 600x400mm |
| | 75" 800x400mm |
| | 86" 800x400mm |
| | |

Software & Built In Features

| LYNX™ App With Online Lesson Planning | Yes |
|---|----------------|
| LYNX™ Whiteboard | Yes |
| Handwriting Recognition | Yes - LYNX Pro |
| Unlimited Multi-Floating Resizable Windows | Yes |
| Split Screen Support | Yes |
| Ecosystem of Extensive Apps with Secure and Fast Download | Yes |
| OpenSDK Support | Yes |
| Secure System Environment | Yes |
| Intelligent O&M | Yes |
| H.264 + H.265 | Yes |
| HD Hardware Encoding and Decoding | Yes |
| Cleverstore™ App Store For Education | Yes |
| CleverLive™ Embedded Digital Signage | Yes |
| | |

| Clevershare™ Mirroring Any Device To The Board | Free for the life of the screen (touch back) |
|---|--|
| Miracast (WiFi Direct) | Yes |
| AirPlay | Yes |
| Chromecast | Yes |
| Integrated Personalised | Yes |
| Accounts Profiles | Yes |
| Cloud Account Access | OneDrive, Google Drive, LYNX Cloud |
| CleverLive Rooms™ Embedded Room Booking | Yes |
| Customizable Welcome Page with option to integrate logo, clocks apps and more (CleverLauncher™) | Yes |
| LynxCloud™ | Yes |
| Whiteboard Annotation | Yes |
| Scan QR Code For Saving Work | Yes |
| Alerts and Announcements | Yes |
| Over-the-Air Updates | Yes |
| Remote Management Of Touchscreens (MDM) | Yes - One year license |

Access to

| Pre sales team | Yes |
|---|-----|
| Service and Support In-Country Teams | Yes |
| CleverAcademy Self Paced Training | Yes |
| In-person or Virtual Training Sessions | Yes |
| LYNX Lesson Library for Pre Created Lesson Content | Yes |

Inside your Clevertouch Box

| What's In The Box | (1) Clevertouch IMPACT Max 2 |
|-------------------|----------------------------------|
| | (1) 1.5M Length HDMI Cable |
| | (1) 3M Length USB cable (A-B) |
| | (1) 1.5M USBC Cable |
| | (1) 3M Regional Power Cable |
| | (1) Remote Control |
| | (2) Batteries for Remote Control |
| | (2) Dual Recognition Stylus |
| | (1) User Guide |
| | (1) Quick Install Guide |
| | (1) Clevertouch WiFi Module |

Warranty

Warranty term and upgrade options vary by region. Contact your local reseller or distributor for information and visit clevertouch.com/about/warranty

Compliance & Certification

Regulatory Certification CE, FCC, UL, Energy Star & EEC











IMPACT Max 2 Specifications

Support

For all Clevertouch products, visit: support.clevertouch.com

Statement

Size and weight vary by configuration and manufacturing process, please refer to the actual product. The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product. The description, illustrations, etc. in this document may subject to change in accordance with the latest product specification and performance. Should the abovementioned change in the document become necessary, the document may be updated without written notice.

© 2024 Clevertouch. All rights reserved. Sahara Presentations Systems Ltd is part of the Boxlight group of companies, and the owner of trademarks in several global jurisdictions including but not limited to Clevertouch, the Clevertouch logo, i5, IMPACT™, IMPACT™, IMPACT Plus™, Impact MAX, CleverLive, LUX, Lynx, CleverMessage, Cleverstore and Clevershare. All third-party trademarks (including logos and icons) referenced by Clevertouch remain the property of their respective owners. Unless specifically identified as such, Clevertouch's use of third-party trademarks does not indicate any relationship, sponsorship, or endorsement between Clevertouch and the owners of these trademarks. Applicable Terms and Conditions for warranty and support available at clevertouch.com/about/warranty. All weights and dimensions are approximate. Product specifications are subject to change without notice. Clevertouch.com.