

StarBoard FX-79E2



Affordable interactive technology for your classroom environment.

StarBoard FX-79E2 series interactive whiteboards bring finger-driven interactivity to your classroom or conference room. These models combine simplicity of design and solid surface with the latest interactive technology. Their fingerdriven features and multi-touch gesture capabilities make StarBoard FX-79E2 intuitive for anyone to use. The large surface of these boards provides an additional working space and contributes to comfortable group work.

Finger-Driven Technology



Use your finger, stylus pen or any object to easily navigate through activities, websites, and multimedia content.

Multi-Touch Features



Control the whiteboard naturally with the multitouch gestures - use your finger to annotate, fist to scroll and two fingers to erase or zoom in and out.

"6-Touch" Feature




Thanks to the "6-Touch^{*}feature, six users can write and work on the whole surface of the board simultaneously.

Quick Access to Frequently Used Tools



The function buttons situated on each side of the board allow quick access to the most frequently used tools.

StarBoard FX-79E2



15 function buttons on either side

Accessories



Stylus pen (included)

Software key features

- Support of different OS: Windows, Mac
- . Customisable floating toolbar
- Hand writing recognition (Windows) .
- Variety of digital inks •
- Export notes to various file formats Direct access to the Internet, Google image search
- Import Microsoft Office files
- Supports IWB Common File Format (CFF) for easy sharing of educational content
- Remote conferencing feature included

Hardware key features

- Use a finger or any object to operate the whiteboard
 - Large interactive area
- Foursimultaneous inputs for collaborative work
- Multi-touch features for intuitive use
- Possiblility to attach magnets to the surface
- 15 function buttons for easy access to the frequently used tools
- Light weight with a steel surface
- Improved bracket design makes the board easy to mount
- Stylus pen is included with the board
- improved surface of the board
- inscribable with IWB pen markers

Specifications FX-79E2

Model No. FX-79E2

Input Methods Infrared ray shading detection system

Interface to Computer USB 1.1, USB 2.0

Effective Screen Size (mm) FX-79E2: 1,633 (W) x 1,225 (H)

Board/Surface Material High density polyester (core), steel (surface)

StarBoard Solution GmbH

Kurfürstendamm 22. D-10719 Berlin, Germany Tel: +49 (0)30 8877 2600 Fax: +49 (0)30 8877 2610 Email: berlin@starboardsolution.com **Operating Specification** +5-+35°C,20-80% humidity without condensation

Dimensions (mm) FX-79E2: 1,852 (W) x 1,281 (H) x 35 (D)

Packing size (mm) FX-79E2: 1.975 (W) x 1,405 (H) x 90 (D)

Weight Net FX-79E2: approx. 22 kg

5 year limited equipment warranty upon

Warranty

registration

Weight Gross FX-79E2: approx. 30 kg

Certificates FCC Class B, CE, VCCI Class A

System Requirements

CPU: Intel Pentium 41.8GHz or higher RAM: 1GB or more HDD: 600MB or more Display Color Depth: 32bits or more

OS support

Windows OS: Windows 7, Windows 8.1/10 (latest service packrecommended)(TabletPCEdition and Server Edition are not supported) Mac OS: Mac OS 10.5/10.6/10.7

www.starboardsolution.com



ease read safety instructions in User's Guide before using this product. Specifications and images are subject to change without notice